L Number	Hits	Search Text	DB	Time stamp
1	643	(software near2 development or case near2 tool or development near2 tool or integrated near development near environment) and (design$3 or develop$5 or creat$5 or construct$3 or build$3) near3 (application or software or program) same reus$6 near2 (component or object) and API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:03
2	57	((software near2 development or case near2 tool or development near2 tool or integrated near development near environment) and (design$3 or develop$5 or creat$5 or construct$3 or build$3) near3 (application or software or program) same reus$6 near2 (component or object) and API) and 717/100-122.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:04
3	11	(((software near2 development or case near2 tool or development near2 tool or integrated near development near environment) and (design$3 or develop$5 or creat$5 or construct$3 or build$3) near3 (application or software or program) same reus$6 near2 (component or object) and API) and 717/100-122.ccls.) and creat$3 near3 virtual$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:06
4	21	(((software near2 development or case near2 tool or development near2 tool or integrated near development near environment) and (design$3 or develop$5 or creat$5 or construct$3 or build$3) near3 (application or software or program) same reus$6 near2 (component or object) and API) and 717/100-122.ccls.) and communicat$3 same API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:07
-	4980	(design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat$3 near2 object and delet$2 object and read and write and invoc$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:53
-	677	((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat$3 near2 object and delet$2 object and read and write and invoc$6) and 717/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:41
-	6	(((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat$3 near2 object and delet$2 object and read and write and invoc$6) and 717/$.ccls.) and creat$3 near2 virtual near3 (attribute or component or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:42
-	1	(((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat$3 near2 object and delet$2 object and read and write and invoc$6) and 717/$.ccls.) and creat$3 near4 virtual and engine near3 communicat$3 same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:44
-	5	(((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat$3 near2 object and delet$2 object and read and write and invoc$6) and 717/$.ccls.) and creat$3 same virtual and engine near3 communicat$3 same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:45

C:\APPS\EAST\Workspaces\10047457.wsp

-	5	(((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat$3 near2 object and delet$2 object and read and write and invoc$6) and 717/$.ccls.) and creat$3 near4 virtual and communicat$3 same data same view	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:46
-	18	(((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat$3 near2 object and delet$2 object and read and write and invoc$6) and 717/$.ccls.) and creat$3 near4 virtual and communicat$3 same data and map$3 near4 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:46
-	4456	(design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$3) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:56
-	4698	(design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:57
-	0	((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6) and map$5 near data and communicat$3 near5 (module or engine or objects) and resusable near create	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:57
-	0	((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6) and map$5 near data and communicat$3 same (module or engine or objects) and resusable near4 creat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:58
-	0	((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6) and map$5 near data and communicat$3 same (module or engine or objects) and resusable near4 (objects or components)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:58
-	625	(design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6 and map$5 near5 (data or object or component) and communicat$3 and resus$4 same (objects or components)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:30
-	1861	(design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6 and map$5 near5 (data or object or component) and communicat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:31

C:\APPS\EAST\Workspaces\10047457.wsp

		125	((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6 and map$5 near5 (data or object or component) and communicat$3 and resus$4 same (objects or components)) and communicat$5 same API same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:15
-		16	((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6 and map$5 near5 (data or object or component) and communicat$3 and resus$4 same (objects or components)) and communicat$5 same API same data and 717/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:22
-		39	((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6 and map$5 near5 (data or object or component) and communicat$3) and creat$3 near3 virtual near2 (object or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:23
-		30	(((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6 and map$5 near5 (data or object or component) and communicat$3 and resus$4 same (objects or components)) and communicat$5 same API same data) and creat$3 near3 virtual near2 (object or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:24
-		3	(((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6 and map$5 near5 (data or object or component) and communicat$3 and resus$4 same (objects or components)) and communicat$5 same API same data and 717/$.ccls.) and creat$3 near3 virtual near2 (object or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:24
-		34	((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6 and map$5 near5 (data or object or component) and communicat$3) and creat$3 near3 virtual near object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:29
-		31	((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and read and write and invoc$6 and map$5 near5 (data or object or component) and communicat$3 and resus$4 same (objects or components)) and creat$3 near3 virtual near3 object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:30

-	2552	(design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and creat$3 near3 virtual same (object or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:52
.-	82	((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and creat$3 near3 virtual same (object or component)) and map$5 same data and 717/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:35
-	43	(((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and creat$3 near3 virtual same (object or component)) and map$5 same data and 717/$.ccls.) and resu$6 near3 (components or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:36
-	37	((((design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and creat$3 near3 virtual same (object or component)) and map$5 same data and 717/$.ccls.) and resu$6 near3 (components or object)) and updat$3 and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:36
-	725	(design$3 or develop$3 or construct$3 or creat$3 or build$3) near3 (software or application or program) same (reus$5) same (component or object) and (application near program near interface or API) and creat$3 near2 object and delet$2 object and creat$3 near3 virtual same (object or component) and (uniform near2 application near program near interface of Uniform near3 API)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 17:11
-	6	(("5872973") or ("5978579") or ("5970252")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:05
-	7	creat$3 near2 object and delet$3 near2 object and read$3 and writ$3 and object near oriented and reus$6 same (object or component) and (develop$6 or design$5 or construct$3 or build$3 or creat$3) near3 (program or application or software) and API near3 uniform same communicat$3 and map$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:10
-	170	creat$3 near3 object and (delet$3 or destroy$3) near3 object and read$3 and writ$3 and reus$6 same (object or component) and (develop$6 or design$5 or construct$3 or build$3 or creat$3) near3 (program or application or software) and API same communicat$3 and map$5 same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:35
-	17	(creat$3 near3 object and (delet$3 or destroy$3) near3 object and read$3 and writ$3 and reus$6 same (object or component) and (develop$6 or design$5 or construct$3 or build$3 or creat$3) near3 (program or application or software) and API same communicat$3 and map$5 same data) and 717/100-122.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:18
-	1	creat$3 near3 object and (delet$3 or destroy$3) near3 object and read$3 and writ$3 and reus$6 same (object or component) and API same (external near object or distributed near object) same characteristics and 717/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:37

C:\APPS\EAST\Workspaces\10047457.wsp

| - | | 1 | creat$3 near3 object and (delet$3 or destroy$3) near3 object and read$3 and writ$3 and reus$6 same (object or component) and API same (external near object or distributed near object or dcom or orb or corba) same characteristics and 717/$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/25 18:38 |
| - | | 1 | creat$3 near3 object and (delet$3 or destroy$3) near3 object and reus$6 same (object or component) and API same (external near object or distributed near object or dcom or orb or corba) same characteristics and 717/$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 11:59 |

C:\APPS\EAST\Workspaces\10047457.wsp